PubMed

Search: antibody G-CSF arthritis

U.S. National Library of Medicine National Institutes of Health

Filter your results: All (107) Manage Filters

Display Settings: Summary, 20 per page, Sorted by Recently Added

Are you looking for gene information?

CSF3 (GCSF) colony stimulating factor 3 (granulocyte) [Homo sapiens] gcsf in Horio sapiens | Mus musculus | All 7 Gene records

Results: 1 to 20 of 107

Up-regulation of cytokines and chemokines predates the onset of rheumatoid arthritis.

Kokkonen H, Söderström I, Rocklöv J, Hallmans G, Lejon K, Rantapää Dahlqvist S.

Arthritis Rheum. 2010 Jan 7;62(2):383-391. [Epub ahead of print] PMID: 20112361 [PubMed - as supplied by publisher]

- mior por resort (r dowlers - da aspipilise by poelialier)

Evidence for a cross-talk between human neutrophils and Th17 cells.

Pelletier M, Maggi L, Micheletti A, Lazzeri E, Tamassia N, Costantini C, Cosmi L, Lunardi C, Annunziato F,

Romagnani S, Cassatella MA.

Blood. 2010 Jan 14;115(2):335-43. Epub 2009 Nov 4.

PMID: 19890092 [PubMed - Indexed for MEDLINE]

 Effector mechanisms of interleukin-17 in collagen-induced arthritis in the absence of interferon-gamma and counteraction by interferon-gamma.

Kelchtermans H, Schurgers E, Geboes L, Mitera T, Van Damme J, Van Snick J, Uyttenhove C, Matthys P. Arthritis Res Ther. 2009;11(4):R122. Epub 2009 Aug 17.

PMiD: 19686583 iPubMed - Indexed for MEDLINE

Free article

4. Peripheral blood gene expression profiling in Siggren's syndrome.

Emamian ES, Leon JM, Lessard CJ, Grandits M, Baechler EC, Gaffney PM, Segal B, Rhodus NL, Moser KL.

Genes Immun. 2009 Jun;10(4):285-96. Epub 2009 Apr 30.

PMID. 19494300 [PubMed - indexed for MEDLINE]

 Acute febrile neutrophilic dermatosis (Sweet's syndrome) in childhood and adolescence: two new patients and review of the literature on associated diseases.

Hospach T, von den Driesch P, Dannecker GE.

Eur J Pediatr. 2009 Jan;168(1):1-9. Epub 2008 Sep 2. Review.

PMID. 18830624 [PubMed - indexed for MEDLINE]

6. In vitro affinity maturation of human GM-CSF antibodies by targeted CDR-diversification.

Steidl S, Ratsch O, Brocks B, Dürr M, Thomassen-Wolf E.

Mol Immunol. 2008 Nov;46(1):135-44. Epub 2008 Aug 21.

PMID: 18722615 IPubMed - Indexed for MEDLINE)

Rituximab is useful in the treatment of Felty's syndrome.

Chandra PA, Margulis Y, Schiff C.

Am J Ther. 2008 Jul-Aug;15(4):321-2.

PMID: 18645332 [PubMed - Indexed for MEDLINE]

 The interleukin-17 receptor plays a gender-dependent role in host protection against Porphyromonas gingivalis-induced periodontal bone loss.

Yu JJ, Ruddy MJ, Conti HR, Boonanantanasarn K, Gaffen SL.

Infect Immun. 2008 Sep;76(9):4206-13. Epub 2008 Jun 30.

PMID: 18591228 [PubMed - indexed for MEDLINE]

Free article

 Combined blockade of granutocyte-macrophage colony stimulating factor and interleukin 17 pathways potently suppresses chronic destructive arthritis in a turnour necrosis factor alpha-independent mouse model.

Plater-Zyberk C, Joosten LA, Helsen MM, Koenders MI, Baeuerle PA, van den Berg WB. Ann Rheum Dis. 2009 May;68(5):721-8. Epub 2008 May 21.

PMID: 18495731 [PubMed - indexed for MEDLINE]

 Activated CD4+CD25+ regulatory T cells inhibit osteoclastogenesis and collagen-induced arthrills. Kelchtermans H, Geboes L, Mitera T, Huskens D, Leclercq G, Matthys P.

Ann Rheum Dis. 2009 May;68(5):744-50. Epub 2008 May 14.

PMID: 1648G308 [PubMed - indexed for MEDLINE]

 Mediation of the proinflammatory cytokine response in rheumatoid arthritis and spondylarthritis by interactions between fibroblast-like synoviocytes and natural killer cells,

Chan A, Filer A, Parsonage G, Kollnberger S, Gundle R, Buckley CD, Bowness P.

Arthritis Rheum. 2008 Mar;58(3):707-17.

PMID. 18311795 [PubMed - indexed for MEDLINE]

Free article

 Modulation of established murine collagen-induced arthritis by a single inoculation of short-term lipopolysaccharide-stimulated dendritic cells.

Salazar L, Aravena O, Abello P, Escobar A, Contreras-Levicoy J, Rojas-Colonelli N, Catalán D, Aguirre A, Zúñiga R, Pesce B, González C, Cepeda R, Cuchacovich M, Molina MC, Salazar-Onfray F, Delgado M, Toes RE, Aguillón JC.

Ann Rheum Dis. 2008 Sep;67(9):1235-41. Epub 2007 Dec 4.

PMID: 18056756 [PubMed - indexed for MEDLINE]

13. Crosslinking of the CD69 molecule enhances S100A9 production in activated neutrophils.

Shirmada S, Nakamura M, Tanaka Y, Tsutsumi K, Katano M, Masuko K, Yudoh K, Koizuka I, Kato T. Microbiol Immunol. 2007;51(1):87-98.

PMID. 17257663 [FubMed - indexed for MEDLINE]

Free article

14. MLN51 and GM-CSF involvement in the proliferation of fibrobiast-like synoviocytes in the pathogenesis of rheumatoid arthritis.

Jang J, Lim DS, Choi YE, Jeong Y, Yoo SA, Kim WU, Bae YS.

Arthritis Res Ther. 2006;8(6):R170.

PMID: 17101062 [PubMed - Indexed for MEDLINE]

Free article

15. GM-CSF neutralisation suppresses inflammation and protects cartilage in acute streptococcal cell wall arthritis of mice.

Plater-Zyberk C, Joosten LA, Helsen MM, Hepp J, Baeuerle PA, van den Berg WB.

Ann Rheum Dis. 2007 Apr;66(4):452-7. Epub 2006 Oct 4.

PMID: 17020908 [PubMed - Indexed for MEDLINE]

16 Proteomic analysis of secreted proteins in early rheumatoid arthritis: anti-citrulline autoreactivity is associated with up regulation of proinflammatory cytokines.

Hueber W, Tomooka BH, Zhao X, Kidd BA, Drijfhout JW, Fries JF, van Venrooij WJ, Metzger AL, Genovese MC, Robinson WH.

Ann Rheum Dis. 2007 Jun;66(6):712-9. Epub 2006 Aug 10.

PMID: 16901957 (PubMed - Indexed for MEDLINE)

17. Characterisation of the immune response to type I collagen in scleroderma.

Warrington KJ, Nair U, Carbone LD, Kang AH, Postlethwaite AE.

Arthritis Res Ther. 2006;8(4):R136.

PMID: 16679746 [PubMed - indexed for MEDLINE]

Frae articla

- Numan monoclonal (gG1 potently neutralizing the pro-inflammatory cytokine GM-CSF. Krinner EM, Raum T, Petsch S, Bruckmaier S, Schuster I, Petersen L, Gierpka R, Abebe D, Molhoj M, Wolf A, Sorensen P, Locher M, Baeuerle PA, Hepp J. Mol Immunol. 2007 Feb;44(5):916-25. Epub 2006 May 11. PAJIG. 1869/9456 Piblibled: archeser for ktd/CDLIPIC!
- Treatment with anti-TNF-alpha antibody infliximab reduces serum IL-15 levels in patients with rheumatoid authoritis
 - Kageyama Y, Takahashi M, Torikai E, Suzuki M, Ichikawa T, Nagafusa T, Koide Y, Nagano A. Clin Rheumatol. 2004 Apr;26(4):505-9. Epub 2006 May 6. PMID: 16860388 [PubMed - rehozed for MECILINE]
- Acute CD4+ T.lymphocyte-dependent interleukin-1-driven arthritis selectively requires interleukin-2 and interleukin-4, joint macrophages, granulocyte-macrophage colony-stimulating factor, interleukin-6, and leukemia inhibitory factor.
 - Patherina miniotory accion.

 Lawlor KE, Wong PK, Campbell IK, van Rooijen N, Wicks IP.

 Arthritis Rheum. 2005 Dec;52(12):3749-54.

 PMID: 19330365 [PubMed indexed for MEDLINE]

 Fire attack.

PubMed

Search: antibody G-CSF arthritis monoclonal

U.S. National Library of Medicine National Institutes of Health

Filter your results: All (32) Manage Filters

Display Settings: Summary, 20 per page, Sorted by Recently Added

Display Settings. Summary, 20 per page, Softed by necently Added

Are you looking for gene information?

CSF3 (GCSF) colony stimulating factor 3 (granulocyte) [Homo sapiens] gcsf in Homo sapiens | Mus musculus | All 7 Gene records

Results: 1 to 20 of 32

Rituximab is useful in the treatment of Felty's syndrome.

Chandra PA, Margulis Y, Schiff C.

Am J Ther. 2008 Jul-Aug;15(4):321-2.

PMID: 18645532 [PubMed - Indexed for MEDLINE]

2 Combined blockade of granulocyte-macrophage colony stimulating factor and interleukin 17 pathways potently suppresses chronic destructive arthritis in a tumour necrosis factor alpha-independent mouse model.

Plater-Zyberk C, Joosten LA, Helsen MM, Koenders MI, Baeuerle PA, van den Berg WB.

Ann Rheum Dis. 2009 May;68(5):721-8. Epub 2008 May 21.

PMID: 18495731 [PubMed - indexed for MEDLINE]

 Mediation of the proinflammatory cytokine response in rheumatoid arthritis and spondylarthritis by interactions between fibroblast-like synoviocytes and natural killer cells.

Chan A, Filer A, Parsonage G, Kollnberger S, Gundle R, Buckley CD, Bowness P.

Arthritis Rheum. 2008 Mar;58(3):707-17.

PMID: 18311795 [PubMed - Indexed for MEDLINE]

Free anicle

Crosslinking of the CD69 molecule enhances S100A9 production in activated neutrophils.

Shimada S, Nakamura M, Tanaka Y, Tsutsumi K, Katano M, Masuko K, Yudoh K, Koizuka I, Kato T. Microbiol Immunol. 2007;51(1):87-98.

PMID: 17237503 [PubMed - indexed for MEDLINE]

Free article

 GM-CSF neutralisation suppresses inflammation and protects cartilage in acute streptococcal cell wall arthritis of mice.

Plater-Zyberk C, Joosten LA, Helsen MM, Hepp J, Baeuerle PA, van den Berg WB.

Ann Rheum Dis. 2007 Apr;66(4):452-7. Epub 2006 Oct 4.

PMID: 17020908 [PubMed - indexed for MEDLINE]

6. A human monoclonal IgG1 potently neutralizing the pro-inflammatory cytokine GM-CSF,

Krinner EM, Raum T, Petsch S, Bruckmaier S, Schuster I, Petersen L, Cierpka R, Abebe D, Mølhøj M, Wolf A, Sørensen P, Locher M, Baeuerle PA, Hepp J.

Mol Immunol, 2007 Feb:44(5):916-25, Epub 2006 May 11,

PMID. 16697465 [PubMed - indexed for MEDLINE]

7. Treatment with anti-TNF-alpha antibody infliximab reduces serum IL-15 levels in patients with rheumatoid arthritis.

Kageyama Y, Takahashi M, Torikai E, Suzuki M, Ichikawa T, Nagafusa T, Koide Y, Nagano A. Clin Rheumatol. 2007 Apr;26(4):505-9. Epub 2006 May 6.

PMID. 16660368 [PubMed - indexed for MEDLINE]

Acute CD4+ T lymphocyte-dependent interieukin-1-driven arthritis selectively requires interieukin-2 and

Interleukin-4, joint macrophages, granulocyte-macrophage colony-stimulating factor, interleukin-6, and leukemia inhibitory factor.

Lawlor KE, Wong PK, Campbell IK, van Rooijen N, Wicks IP.

Arthritis Rheum, 2005 Dec;52(12):3749-54. PMID: 15329325 [PubMed - indexed for MEDLINE]

Free article

Drug-induced agranulocytosis during treatment with infliximab in enteropathic spondyloarthropathy.

Favalli EG. Varenna M. Sinigaglia L.

Clin Exp Rheumatol, 2005 Mar-Apr;23(2):247-50. PMID: 15895899 [PubMed - indexed for MEDLINE]

Critical role for granulocyte colony-stimulating factor in inflammatory arthritis.

Lawlor KE, Campbell IK, Metcalf D, O'Donnell K, van Nieuwenhuijze A, Roberts AW, Wicks IP.

Proc Natl Acad Sci U S A, 2004 Aug 3;101(31):11398-403, Epub 2004 Jul 22,

PMID: 15272075 IPubMed - Indexed for MEDLINE)

Free article

11. The effect of etanercept and infliximab on the production of tumour necrosis factor alpha, interferongamma and GM-CSF in in vivo activated intestinal T lymphocyte cultures.

Agnholt J, Dahlerup JF, Kaltoft K.

Cytokine. 2003 Aug 7;23(3):76-85.

PMID: 12906876 [PubMed - indexed for MEULINE]

12. Inhibition of cytokine production by methotrexate. Studies in healthy volunteers and patients with rheumatoid arthritis.

Gerards AH, de Lathouder S, de Groot ER, Dijkmans BA, Aarden LA.

Rheumatology (Oxford), 2003 Oct;42(10):1189-96, Epub 2003 May 30,

PMID: 12777636 [PubMed - indexed for MEDLINE]

Free article

13. Granulocyte/macrophage-colony-stimulating factor (GM-CSF) regulates lung innate immunity to lipopolysaccharide through Akt/Erk activation of NFkappa B and AP-1 in vivo.

Bozinovski S. Jones JE. Vlahos R. Hamilton JA. Anderson GP.

J Biol Chem. 2002 Nov 8;277(45):42808-14. Epub 2002 Sep 2.

PMID: 12206854 (PubMed - indexed for MEDLINE)

Pree article

14. T-bet is rapidly induced by interferon-gamma in lymphoid and myeloid cells.

Lighvani AA, Frucht DM, Jankovic D, Yamane H, Aliberti J, Hissong BD, Nguyen BV, Gadina M, Sher A, Paul WE, O'Shea JJ.

Proc Natl Acad Sci U S A. 2001 Dec 18;98(26):15137-42.

PMID. 11752460 (PubMed - indexed for MEDLINE)

15. The impact of recent advances in immunology and cancer therapy on nuclear medicine.

McAfee JG MacVittie T.I.

Semin Nucl Med. 2001 Oct;31(4):342-9. Review.

PMID: 11710776 [PubMed - Indexed for MEDLINE]

Blockade of collagen-induced arthritis post-onset by antibody to granulocyte-macrophage colonystimulating factor (GM-CSF); requirement for GM-CSF in the effector phase of disease.

Cook AD, Braine EL, Campbell IK, Rich MJ, Hamilton JA.

Arthritis Res. 2001;3(5):293-8, Epub 2001 Jun 11,

PMID: 11549376 [PubMed - indexed for MEDLINE]

Free article

17. Dependence of interleukin-1-induced arthritis on granulocyte-macrophage colony-stimulating factor. Yang YH, Hamilton JA.

Arthritis Rheum. 2001 Jan;44(1):111-9.

PMID. 11212148 [PubMed - indexed for MEDLINE]

Free article

18. The colony-stimulating factors and collagen-induced arthritis: exacerbation of disease by M-CSF and G-CSF and requirement for endogenous M-CSF.

Campbell IK, Rich MJ, Bischof RJ, Hamilton JA.

J Leukoc Biol. 2000 Jul;68(1):144-50.

PMID: 10914502 [PubMed - indexed for MEDLINE]

Eres anicle

19 Cytokine blockade as a new strategy to treat rheumatoid arthritis; inhibition of tumor necrosis factor. Fox DA.

Arch Intern Med. 2000 Feb 28;160(4):437-44. Review.

PMID: 10695684 [PubMed - Indexed for MEDLINE]

Free article

Establishment and characterization of nurse cell-like stromal cell lines from synovial tissues of patients with rheumatoid arthritis.

Takeuchi E, Tomita T, Toyosaki-Maeda T, Kaneko M, Takano H, Hashimoto H, Sugamoto K, Suzuki R, Ochi

Arthritis Rheum. 1999 Feb;42(2):221-8.

PMiD: 10025915 [PubMed - Indexed for MEDLINE]

Free article

PubMed

Search: antibody G-CSF rheumatoid arthritis monoclonal

U.S. National Library of Medicine National institutes of Health

Filter your results: All (25)

Display Settings: Summary, 20 per page, Sorted by Recently Added Manage Filters

Are you looking for gene information?

CSF3 (GCSF) colony stimulating factor 3 (granulocyte) [Homo sapiens] qcsf in Homo sepiens | Mus musculus | All 7 Gene records

Results: 1 to 20 of 25

Rituximab is useful in the treatment of Felty's syndrome.

Chandra PA, Margulis Y, Schiff C.

Am J Ther. 2008 Jul-Aug;15(4):321-2.

PMID: 18645532 [PubMed - Indexed for MEDLINE]

 Combined blockade of granulocyte-macrophage colony stimulating factor and interleukin 17 pathways potently suppresses chronic destructive arthritis in a turnour necrosis factor alpha-independent mouse model.

Plater-Zyberk C, Joosten LA, Helsen MM, Koenders MI, Baeuerle PA, van den Berg WB.

Ann Rheum Dis. 2009 May;68(5):721-8. Epub 2008 May 21.

PMID: 18495731 [PubMed - indexed for MEDLINE]

Mediation of the proinflammatory cytokine response in rheumatoid arthritis and spondylarthritis by interactions between fibroblast-like synoviocytes and natural killer cells.

Chan A. Filer A. Parsonage G. Kollnberger S. Gundle R. Buckley CD. Bowness P.

Arthritis Rheum, 2008 Mar;58(3):707-17.

PMID: 18311795 [PubMed - Indexed for MEDLINE]

Free anicle

Crosslinking of the CD69 molecule enhances S100A9 production in activated neutrophils.

Shimada S. Nakamura M. Tanaka Y. Tsutsumi K. Katano M. Masuko K. Yudoh K. Koizuka I. Kato T. Microbiol Immunol, 2007;51(1):87-98.

PMID: 17237603 [PubMed - indexed for MEDLINE] Free article

A human monoclonal loG1 potently neutralizing the pro-inflammatory cytokine GM-CSF.

Krinner EM, Raum T, Petsch S, Bruckmaier S, Schuster I, Petersen L, Cierpka R, Abebe D, Mølhøj M, Wolf A, Sørensen P, Locher M, Baeuerle PA, Hepp J.

Mol Immunol. 2007 Feb;44(5):916-25. Epub 2006 May 11.

PMIC: 16897465 [PubMed - indexed for MEDLINE]

 Treatment with anti-TNF-alpha antibody infliximab reduces serum IL-15 levels in patients with rheumatoid arthritis.

Kageyama Y, Takahashi M, Torikai E, Suzuki M, Ichikawa T, Nagafusa T, Koide Y, Nagano A.

Clin Rheumatol, 2007 Apr;26(4):505-9, Epub 2006 May 6.

PMID. 16680388 (PubMed - indexed for MEDLINE)

7. Critical role for granulocyte colony-stimulating factor in inflammatory arthritis.

Lawlor KE, Campbell IK, Metcalf D, O'Donnell K, van Nieuwenhuijze A, Roberts AW, Wicks IP.

Proc Natl Acad Sci U S A. 2004 Aug 3;101(31):11398-403. Epub 2004 Jul 22.

PMID: 15272075 [PubMed - Indexed for MEDLINE] Free article

The effect of etanercept and infliximab on the production of tumour necrosis factor alpha, interferon-

gamma and GM-CSF in in vivo activated intestinal T lymphocyte cultures.

Agnholt J, Dahlerup JF, Kaltoft K.

Cytokine. 2003 Aug 7;23(3):76-85.

PMID: 12906370 [PubMed - indexed for MEDLINE]

 Inhibition of cytokine production by methotrexate. Studies in healthy volunteers and patients with rheumatoid arthritis.

Gerards AH, de Lathouder S, de Groot ER, Dijkmans BA, Aarden LA.

Rheumatology (Oxford), 2003 Oct;42(10):1189-96. Epub 2003 May 30.

PMID. 12777636 (PubMed - indexed for MEDLINE)

Free article

10. The impact of recent advances in immunology and cancer therapy on nuclear medicine.

McAfee JG, MacVittie TJ.

Semin Nucl Med. 2001 Oct;31(4):342-9. Review.

PMID: 11710776 IPubMed - Indexed for MEDLINEI

 Blockade of collagen-induced arthritis post-onset by antibody to granulocyte-macrophage colonystimulating factor (GM-CSF); requirement for GM-CSF in the effector phase of disease.

Cook AD, Braine EL, Campbell IK, Rich MJ, Hamilton JA.

Arthritis Res. 2001;3(5):293-8. Epub 2001 Jun 11.

PMID: 11549370 [PubMed - Indexed for MEDLINE]

Free article

12. The colony-stimulating factors and collagen-induced arthritis: exacerbation of disease by M-CSF and G-CSF and requirement for endogenous M-CSF.

Campbell IK, Rich MJ, Bischof RJ, Hamilton JA.

J Leukoc Biol. 2000 Jul;68(1):144-50.

PMID: 10914502 [PubMed - indexed for MEDLINE]

Free article

Cytokine blockade as a new strategy to treat rheumatoid arthritis: inhibition of tumor necrosis factor.
 Fox DA.

Arch Intern Med. 2000 Feb 28;160(4):437-44. Review.

PMID: 10695584 [PubMed - indexed for MEDLINE]

Free article

 Establishment and characterization of nurse cell-like stromal cell lines from synovial tissues of patients with rheumatoid arthritis.

Takeuchi E, Tomita T, Toyosaki-Maeda T, Kaneko M, Takano H, Hashimoto H, Sugamoto K, Suzuki R, Ochi

Arthritis Rheum. 1999 Feb;42(2):221-8.

PMID. 10025915 [PubMed - indexed for MEDLINE]

Free article

15. Enhanced expression of CD14 antigen on myeloid lineage cells derived from the bone marrow of patients with severe rheumatoid arthritis.

Tomíta T, Shimaoka Y, Kashiwagi N, Hashimoto H, Kawamura S, Lee SB, Nakagawa S, Shiho O, Hayashida K. Ochi T.

J Rheumatol. 1997 Mar;24(3):465-9.

PMID. 9655856 (PubMed - indexed for MEDLINE)

16 Inhibitory effect of clarithromycin on costimulatory molecule expression and cytokine production by synovial fibroblast-like cells,

Matsuoka N, Eguchi K, Kawakami A, Tsuboi M, Kawabe Y, Aoyagi T, Nagataki S.

Clin Exp Immunol. 1996 Jun;104(3):501-8.

PMID: 9099936 [PubMed - indexed for MEDLINE]

Free article

 Interleukin-10 functions as an antiinfiammatory cytokine in rheumatoid synovium. Isomaki P, Luukkainen R, Saario R, Toivanen P, Punnonen J. Arthritis Rheum. 1996 Mar;39(3):396-95.

PMID. 3607637 [PubMed - Indexed for MEDLINE]

18 Cytokine mRNA repertoire of articular chondrocytes from arthritic patients, infants, and neonatal mice. Tanabe BK, Abe LM, Kimura LH, Reinker KA, Yamaga KM. Pheumatol Int. 1996;16(2)67-76.

PMID: 8853228 (PubMed - indexed for MEDLINE)

19. Beneficial effects of tumour necrosis factor-alpha (TNF-alpha) blockade in rheumatold arthritis (RA) Maini RN, Elliott MJ, Brennan FM, Feldmann M.

Clin Exp Immunol, 1995 Aug;101(2):207-12. Review. Erratum In: Clin Exp Immunol 1995 Nov;102(2):443. PMID: 7548705 [PubMed - Indeved for MEDLINE] Fire article.

Interferon-gamma but not granulocyte/macrophage colony-stimulating factor augments proteoglycan presentation by synovial cells and chondrocytes to an autopathogenic T. cell hybridoma. Brennan FR, Mikecz K, Buzás EI, Glant TT.

Immunol Lett. 1995 Feb;45(1-2):87-91.
PMID: 7622193 IPubMed - Indexed for MEDLINEI

LISTO, 1255 183 (Litowag - lucasogo jos preminist

PubMed details Page 1 of 1

PubMed

Search: antibody G-CSF arthritis

U.S. National Library of Medicine National Institutes of Health

Search Details

Query Translation:

```
("immunoglobulins" [MeSH Terms] OR "immunoglobulins" [All Fields] OR "antibodies" [MeSH Terms] OR "antibodies" [MeSH Terms] OR "antibodies" [MeSH Terms] OR "granulocyte colony-stimulating factor" [MeSH Terms] OR ("granulocyte" [All Fields] AND "colony-stimulating" [All Fields] AND "factor" [All Fields] OR "granulocyte colony-stimulating factor" [All Fields] OR "g csf" [All Fields] OR "granulocyte colony stimulating factor, recombinant" [MeSH Terms] OR ("granulocyte" [All Fields] AND "colony" [All Fields] AND "stimulating" [All Fields] Search [URL]
```

Search

Result:

107

Translations:

"granulocyte colony-stimulating factor"[MeSH Terms] OR ("granulocyte"[All Fields] AND "colony-stimulating"[All Fields] AND "factor"[All Fields]) OR "granulocyte colony-stimulating factor"[All Fields] OR "granulocyte colony stimulating factor, recombinant"[MeSH Terms] OR ("granulocyte"[All Fields] AND "stimulating"[All Fields] AND "stimulating"[All Fields] AND "factor"[All Fields] AND "factor"[All Fields] AND "granulocyte colony stimulating factor"[All Fields] AND "granulocyte colony stimulating factor"[All Fields] AND "stimulating factor"[All Fields] AND "stim

"immunoglobulins"[MeSH Terms] OR "immunoglobulins"[All Fields] antibody OR "antibody"[All Fields] OR "antibodies"[MeSH Terms] OR "antibodies"[All Fields]

arthritis "arthritis" [MeSH Terms] OR "arthritis" [All Fields]

Database: PubMed

User query:

antibody G-CSF arthritis

PubMed details Page 1 of 1

PubMed 4 6 1

Search: antibody G-CSF rheumatoid arthritis monoclonal

U.S. National Library of Medicine National Institutes of Health

Search Details

Query Translation:

```
("immunoglobulins" [MeSH Terms] OR "immunoglobulins" [All Fields] OR "antibodies" [MeSH Terms] OR "antibodies" [MeSH Terms] OR "antibodies" [MeSH Terms] OR "antibodies" [MeSH Terms] OR "granulocyte colony-stimulating factor" [MeSH Terms] OR "granulocyte" [All Fields] AND "colony-stimulating" [All Fields] OR "granulocyte colony-stimulating factor" [All Fields] OR "g csf" [All Fields] OR "granulocyte colony-stimulating factor, recombinant" [MeSH Terms] OR ("granulocyte" [All Fields] AND "colony" [All Fields] AND "stimulating" [All Fields] Search [URL]
```

.....

Result:

23

Translations:

"granulocyte colony-stimulating factor"[MeSH Terms] OR ("granulocyte"[All Fields] AND "colony-stimulating"[All Fields] AND "factor"[All Fields] OR "granulocyte colony-stimulating factor"[All Fields] OR "g csf"[All Fields] OR "granulocyte colony stimulating factor, recombinant"[MeSH Terms] OR

G-CSF

("granulocyte"[All Fields] AND "colony"[All Fields] AND "stimulating"[All Fields] AND "factor"[All Fields] AND "recombinant"[All Fields]) OR "recombinant granulocyte colony stimulating factor"[All Fields]

antibody

"immunoglobulins"[MeSH Terms] OR "immunoglobulins"[All Fields] OR "antibody"[All Fields] OR "antibodies"[MeSH Terms] OR "antibodies"[All Fields]

rheumatoid

"arthritis, rheumatoid"[MeSH Terms] OR ("arthritis"[All Fields] AND "rheumatoid"[All Fields]) OR "rheumatoid arthritis"[All Fields] OR ("rheumatoid"[All Fields] AND "arthritis"[All Fields])

arthritis Database:

PubMed

User query:

antibody G-CSF rheumatoid arthritis monoclonal